

DEWALT

WHAT'S NEW FROM DEWALT?

Tool Connect™ System 20V MAX* XR® Lithium Ion Brushless Hammerdrill & Impact Driver Combo Kit with Bluetooth® Batteries
DCKTC299P2BT

NOW SHIPPING

Kit Includes:

DCF888B 20V MAX* XR® Brushless Tool Connect™ System Impact Driver
DCD997B 20V MAX* XR® Brushless Tool Connect™ System Hammerdrill

- "Last seen" feature helps reduce wasted time and cost by providing the street address of where your premium hammerdrill was last in range of your Tool Connect™ System enabled device
- Customize your Impact Driver from your Tool Connect™ System app, including speed and torque, the Precision Drive™ control feature, and LED light brightness and delay
- Set "disable when out of range" alerts to help deter unauthorized use or theft



20V MAX* XR
LITHIUM ION BRUSHLESS



MADE IN THE USA
WITH GLOBAL MATERIALS
LOOK FOR THIS LOGO ON SPECIALLY MARKED DEWALT PACKAGES.



20V MAX* XR® Brushless 5" Dual Switch Band Saw Kit
DCS376P2 / B

EXPECTED LAUNCH DATE
NOVEMBER 2018

- Tool requires dual switch activation, a PERFORM & PROTECT™ feature, to ensure two hands are used during tool operation.
- Integrated hang hook allows user to hang the saw without damaging the front handle or base
- Blade speed control dial allows user to tailor the speed of the unit to the application

PERFORM PROTECT

20V MAX* XR
LITHIUM ION BRUSHLESS



SAW REQUIRES BOTH HANDS TO ACTIVATE.



ALL LAUNCH DATES ARE SUBJECT TO CHANGE.

FOR MORE DETAILS PLEASE CONTACT A LOCAL SALES REPRESENTATIVE FOR DEWALT OR VISIT WWW.DEWALT.COM

Multiport Simultaneous Fast Charger

DCB104

NOW SHIPPING

- Simultaneous Charger: All Ports Charge At The Same Time
- Charges 12V MAX*, 20V MAX*, and 60V MAX* Batteries
- 8.0 Amps Output Per Port (simultaneously)
- Thru-Hole Wall Mounts & Cord Wraps

**FAST
CHARGER**

**20V
LITHIUM ION**



12V MAX*/20V MAX* Jobsite Bluetooth® Speaker

DCR010

EXPECTED LAUNCH DATE

NOVEMBER 2018

- Bass reflex port enhances low-frequency performance
- Play/pause, skip tracks, and control volume from speaker
- Convenient carry handle with phone holder
- Bluetooth® connectivity - 100ft range

**12V
LITHIUM ION**

**20V
LITHIUM ION**

Bluetooth®



20V MAX* Corded/Cordless Air Inflator

DCC020IB / BP

NOW SHIPPING

- High-pressure inflation mode with automatic shutoff
- LED light helps to provide illumination
- Three power sources** for inflation on a jobsite and on the go (**20V MAX* battery, 12V MAX* DC, or 110V AC) (Batteries not included)
- Threaded chuck for secure connection to inflation valve

**20V
LITHIUM ION**



20V MAX*/60V MAX* DeWALT FLEXVOLT® Battery Pack (12.0 Ah)

DCB612

NOW SHIPPING

- 12.0 Ah capacity, when used in a 20V MAX* tool, for maximum runtime
- 3-LED Fuel Gauge charge indicator
- Operates in outside temperatures down to 0° F

DEWALT FLEXVOLT

**20V
LITHIUM ION**

**60V
LITHIUM ION**

FUEL GAUGE



ALL LAUNCH DATES ARE SUBJECT TO CHANGE.

FOR MORE DETAILS PLEASE CONTACT A LOCAL SALES REPRESENTATIVE FOR DEWALT OR VISIT WWW.DEWALT.COM

CONCRETE



DeWALT FLEXVOLT® 60V MAX* 9" Cut-Off Saw Kit DCS690X2 / B

EXPECTED LAUNCH DATE
OCTOBER 2018

- Heavy load indicator light provides power and runtime feedback during demanding applications
- 5-position rotatable guard for approach angle selection, allowing for optimal visibility and accessibility when cutting in tight spaces
- Dual-sided water feed system offers an OSHA Table 1 Compliant solution for dust management when cutting concrete
- Latched and sealed battery box for added protection in harsh jobsite conditions



DeWALT FLEXVOLT® 60V MAX* 1-7/8" SDS MAX Rotary Hammer Kit DCS733X2 / B

NOW SHIPPING

- In addition to the integral clutch, the DeWALT anti-rotation E-Clutch® System, senses the motion of the tool and shuts it down if necessary. The red indicator LED illuminates when the E-Clutch® System is engaged.
- Offers users more control by adjusting speed of drilling or chipping based upon the thickness and density of the material they are working with.
- Service light near the handle notifies the user when it's time to take the tool in for service.



Dust Extraction Kit with Hose DWH200D

EXPECTED LAUNCH DATE
OCTOBER 2018

- Part of an OSHA Compliant System for Table 1 drilling into Concrete
- Works with most DeWALT Corded/Cordless Hammerdrills and SDS Plus Rotary Hammers
- Allows the user to drill into concrete with 6" overall length bits, 10" overall length bits, and stop bits



19 lb. SDS MAX Demolition Hammer D25872K

EXPECTED LAUNCH DATE
OCTOBER 2018

- SHOCKS Active Vibration Control® System protects the user from the effects of vibration, including numbness and tingling in the hands
- Variable speed dial offers users more control by adjusting speed of chipping based upon the thickness and density of the material
- Dust extraction ready for the DWH053K dust collection attachment



SHOCKS

22 lb. SDS MAX Demolition Hammer D25892K

EXPECTED LAUNCH DATE
OCTOBER 2018

- SHOCKS Active Vibration Control® System protects the user from the effects of vibration, including numbness and tingling in the hands
- Variable speed dial offers users more control by adjusting speed of drilling or chipping based upon the thickness and density of the material
- Dust extraction ready for the DWH053K dust collection attachment



SHOCKS

1-7/8" SDS MAX Rotary Hammer D25733K

EXPECTED LAUNCH DATE
OCTOBER 2018

- E-Clutch® System helps protect users in bind-up situations
- Offers control by adjusting speed of drilling or chipping based upon the thickness and density of the material they are working with.
- Service brush light near the handle notifies the user when it's time to take the tool in for service.



E-CLUTCH

2" SDS MAX Rotary Hammer D25773K

EXPECTED LAUNCH DATE
NOVEMBER 2018

- E-Clutch® System helps protect users in bind-up situations
- Offers control by adjusting speed of drilling or chipping based upon the thickness and density of the material they are working with.
- Service brush light near the handle notifies the user when it's time to take the tool in for service.



E-CLUTCH

ALL LAUNCH DATES ARE SUBJECT TO CHANGE.

FOR MORE DETAILS PLEASE CONTACT A LOCAL SALES REPRESENTATIVE FOR DeWALT OR VISIT WWW.DEWALT.COM

WOODWORKING

20V MAX* XR® Brushless 5" Random Orbital Sander Kit

DCW210P1 / D1 / B

EXPECTED LAUNCH DATE
NOVEMBER 2018

- Variable speed control from 8,000–12,000 OPM to match the speed to the application
- Low-profile design gets you closer to the work surface
- Replaceable 8-hole hook-and-loop sanding pad for quick, easy paper changing
- Uses the same replacement pads as the 5" corded DeWALT models



20V MAX* XR® Brushless Cordless Jig Saw Kit

DCS334P1 / B

EXPECTED LAUNCH DATE
NOVEMBER 2018

- Bright LED light helps to illuminate dimly lit work surfaces
- Variable speed trigger and dial provide precise speed control
- Integrated dust blower helps clear line of sight while cutting
- All-metal, keyless shoe bevel with detents at 0°, 15°, 30°, and a positive stop at 45° for easy adjustment



20V MAX* 21° Plastic Collated Cordless Framing Nailer Kit

DCN21PLM1 / B

NOW SHIPPING

- Tool-free selector switch for sequential or bump-fire modes
- Tool-free depth adjustment for precise nail placement
- Stall release lever to reset driver blade in the event of a jam
- Dry fire lock out prevents tool from firing when nails are low



20V MAX* XR® Brushless 16 GA Cordless Straight Finish Nailer Kit

DCN662D1 / B

EXPECTED LAUNCH DATE
NOVEMBER 2018

- Tool-free selectable trigger for sequential or contact actuation modes
- Multi-functional LED lights help to provide workspace illumination
- Integrated tool-free stall release lever to reset the driver blade in the event of a stall



16 GA 2" Lathing Stapler

DW451S2

EXPECTED LAUNCH DATE
NOVEMBER 2018

- Drives 1–2" length
- Lightweight at 5.3 lb
- Tool-free jam release to minimize downtime



23 GA 2" Pin Nailers

DWFP2350K

EXPECTED LAUNCH DATE
OCTOBER 2018

- Tool-free depth adjustment for driving recessed fasteners
- Oil-free operation reduces risk of oil stains on work surface
- Low nail lockout with bypass and reload alert



*Maximum initial battery voltage (measured without a workload) is 12, 20 and 60 volts. Nominal voltage is 10.8, 18 and 54.

BLUETOOTH® is a registered trademark owned by Bluetooth SIG, Inc. and any use of such marks by DeWALT is under license.

DeWALT's PERFORM & PROTECT™ line of Power Tools is designed to provide a high level of one or more of the following: control, dust containment, or low vibration, without sacrificing performance.

Copyright © 2018 DeWALT. The following are trademarks for one or more DeWALT power tools, accessories, anchors and concrete adhesives: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool. GC IC Field DW Q4 New Product Flyer REV 100518.indd/RO/GDS/#18-929601 ICPTENPFQ418

ALL LAUNCH DATES ARE SUBJECT TO CHANGE.

FOR MORE DETAILS PLEASE CONTACT A LOCAL SALES REPRESENTATIVE FOR DeWALT OR VISIT WWW.DEWALT.COM